

Test Report

No. CANEC2227514601

Date: 13 Jan 2023

Page 1 of 5

Client Name : DONG GUAN NEW-ORIENT TECHNOLOGY CO.,LTD

Client Address : NO. 53, TIANXIN BEIMEN LANE, HUANGJIANG TOWN, DONGGUAN CITY, GUANGDONG PROVINCE

Sample Name : silicone rubber

Model No. : ZY-950

Client Ref. Info. : Please see REMARK

The above sample(s) and information were provided by the client.

SGS Job No. : CP22-067969 - SZ

Date of Sample Received : 21 Dec 2022

Testing Period : 21 Dec 2022 - 28 Dec 2022

Test Requested : Selected test(s) as requested by the client.

Test Method(s) : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
FDA 21 CFR 177.2600–Total extractive residues	PASS

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Ivy Ren

Ivy Ren
Approved Signatory

scan to see the report



3927B425



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Report

No. CANEC2227514601

Date: 13 Jan 2023

Page 2 of 5

Test Result(s) :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	CAN22-275146.001	Colorless transparent silicone rubber sheet	Silicone rubber

FDA 21 CFR 177.2600--Total extractive residues

Test Method : With reference to US FDA 21 CFR 177.2600.

<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 001</u>	<u>Comment</u>
Distilled Water	7.0hr(s)	Reflux temperature	20mg/inch ²	<0.5mg/inch ²	PASS
Succeeding Extraction	2.0hr(s)	Reflux temperature	1mg/inch ²	<0.5mg/inch ²	PASS
n-Hexane	7.0hr(s)	Reflux temperature	175mg/inch ²	17.5mg/inch ²	PASS
Succeeding Extraction	2.0hr(s)	Reflux temperature	4mg/inch ²	1.4mg/inch ²	PASS

Notes :

mg/inch²= milligram per square inch

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.



REMARK:

ZY-850 (805/810/820/830/840/860/870/880/890/810W)
 ZY-850-7 (805-7/810-7/820-7/830-7/840-7/860-7/870-7/880-7/890-7)
 ZY-7850
 (7810/7820/7830/7840/7860/7870/7880/7890/7811/7821/7831/7841/7851/7861/7871/7881/
 7891/7822/7832/7842/7852/7862/7872/7882/7892/7823/7833/7843/7853/7863/7873/7883/
 7893/7824/7834/7844/7854/7864/7874/7884/7894)
 ZY-850Pt(820Pt/830Pt/840Pt/860Pt/870Pt/880Pt)
 ZY-850U(820U/830U/840U/860U/870U/880U/890U)
 ZY-850UPT(820UPT/830UPT/840UPT/860UPT/870UPT/880UPT/890UPT)
 ZY-850-7UPT(820-7UPT/830-7UPT/840-7UPT/860-7UPT/870-7UPT/880-7UPT/890-7UPT)
 ZY-850N(820N/830N/840N/860N/870N/880N/890N)
 ZY-850YM(820YM/830YM/840YM/860YM/870YM/880YM/890YM)
 ZY-850-AJ(820-AJ/830-AJ/840-AJ/860-AJ/870-AJ/880-AJ/890-AJ)
 ZY-850ES(820ES/830ES/840ES/860ES/870ES/880ES/890ES)
 ZY-850Q(820Q/830Q/840Q/860Q/870Q/880Q)
 ZY-850DZY(820DZY/830DZY/840DZY/860DZY/870DZY/880DZY)
 ZY-850JYZ(820JYZ/830JYZ/840JYZ/860JYZ/870JYZ/880JYZ)
 ZY-850JG(820JG/830JG/840JG/860JG/870JG/880JG)
 ZY-850BD(820BD/830BD/840BD/860BD/870BD/880BD)
 ZY-850GHT(820GHT/830GHT/840GHT/860GHT/870GHT/880GHT)
 HQ-1850(1805/1810/1820/1830/1840/1860/1870/1880/1890)
 HQ-1850A(1820A/1830A/1840A/1850A/1860A/1870A/1880A)
 HQ-1830AS(1840AS/1850AS/1860AS/1870AS/1880AS)
 HQ-1150(1120/1130/1140/1160/1170/1180)
 HQ-1750(1710/1720/1730/1740/1760/1780/1790)
 HQ-4452(4412/4422/4432/4442/4462/4472/4482/4492)
 HD-1351(1311/1321/1331/1341/1351/1361/1371/1381/1391)
 HD-2851(2811/2821/2831/2841/2851/2861/2871/2881/2891)
 HD-2851pt(2811pt/2821pt/2831pt/2841pt/2851pt/2861pt/2871pt/2881pt/2891pt)
 HD-3351(3311/3321/3331/3341/3351/3361/3371/3381/3391)
 HD-7851(7811/7821/7831/7841/7851/7861/7871/7881/7891)
 HD-7851pt(7811pt/7821pt/7831pt/7841pt/7851pt/7861pt/7871pt/7881pt/7891pt)
 HD-8650(8610/8620/8630/8640/8650/8660/8670/8680/8690)
 HD-8650pt(8610pt/8620pt/8630pt/8640pt/8650pt/8660pt/8670pt/8680pt/8690pt)
 HD-9150(9110/9120/9130/9140/9150/9160/9170/9180/9190)
 HD-9650(9610/9620/9630/9640/9650/9660/9670/9680/9690)
 HD-9920
 ZY-850A (810A/820A/830A/840A/860A/870A/880A/890A)
 ZY-850A-7 (810A-7/820A-7/830A-7/840A-7/860A-7/870A-7/880A-7/890A-7)
 ZY-850A-7Pt (810A-7Pt/820A-7Pt/830A-7Pt/840A-7Pt/860A-7Pt/870A-7Pt/880A-7Pt/890A-7Pt)
 ZY-850ABD(810ABD/820ABD/830ABD/840ABD/860ABD/870ABD/880ABD/890ABD)
 ZY-850AU(820AU/830AU/840AU/860AU/870AU/880AU)
 ZY-850AUPT(820AUPT/830AUPT/840AUPT/860AUPT/870AUPT/880AUPT)
 ZY-850AW(820AW/830AW/840AW/860AW/870AW/880AW)
 ZY-850AN(820AN/830AN/840AN/860AN/870AN/880AN/890AN)
 ZY-350(320/330/340/360/370/380/390)
 ZY-5750
 (5730/5740/5760/5770/5780/5721/5731/5741/5751/5761/5771/5781/5791/5712/5722/5732/
 5742/5752/5762/5772/5782/5792)
 ZY-9250 (9210/9220/9230/9240/9260/9270/9280/9290)




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

ZY-9350
 (9310/9320/9330/9340/9360/9370/9380/9390/9321/9331/9341/9351/9361/9371/9381/9391/
 9322/9332/9342/9352/9362/9372/9382/9392/9323/9333/9343/9353/9363/9373/9383/9393)
 ZY-9450(9410/9420/9430/9440/9460/9470/9480/9490)
 ZY-(HD)9550(9520/9530/9540/9560/9570/9580)ZY-
 (HD)9150(9105/9110/9120/9130/9140/9160/9170/9180/9190/9121/9131/9141/9151/9161/
 9171/9181/9191/9122/9132/9142/9152/9162/9172/9182/9192/9124/9134/9144/9154/9164/
 9174/9184/9194/9125/9135/9145/9155/9165/9175/9185/9195/9610/9620/9630/9640/9650/
 9660/9670/9680/9690)
 ZY-1850(1820/1830/1840/1860/1870/1890)
 ZY-8150(8110/8120/8130/8140/8160/8170/8180/8190)
 ZY-8150A(8110A/8120A/8130A/8140A/8160A/8170A/8180A/8190A)
 ZY-8150A-7(8110A-7/8120A-7/8130A-7/8140A-7/8160A-7/8170A-7/8180A-7/8190A-7)
 ZY-2850
 (2820/2830/2840/2860/2870/2880/2890/2821/2831/2841/2851/2861/2871/2881/2891/2823/
 2833/2843/2853/2863/2873/2883/2893/2824/2834/2844/2854/2864/2874/2884/2825/2835/
 2845/2855/2865/2875/2885/2895)
 ZY-950 (910/920/930/940/960/970/980/990)
 ZY-9950(9910/9920/9930/9940/9960/9970/9980)
 ZY-9953(9923/9933/9943/9963/9973/9983/9993)
 ZY-9750(9720/9730/9740/9760/9770/9780)
 ZY-4405C5 (4412C5/4422C5/4432C5/4442C5/4452C5/4462C5/4472C5/4482C5/4492C5)
 ZY-450 (405/410/420/430/440/460/470/480/490/4420/4430/4440/4450/4460/4470/4480/4490)
 ZY-4451 (4411/4421/4431/4441/4461/4471/4481/4491)
 ZY-4452 (4412/4422/4432/4442/4462/4472/4482/4492)
 ZY-4452-7 (4412-7/4422-7/4432-7/4442-7/4462-7/4472-7/4482-7/4492-7)
 ZY-5551(5511/5521/5531/5541/5561/5571/5581/5591)
 ZY-4452PT (4412PT/4422PT/4432PT/4442PT/4462PT/4472PT/4482PT/4492PT)
 ZY-4452-7UPT (4412-7UPT/4422-7UPT/4432-7UPT/4442-7UPT/4462-7UPT/4472-7UPT/
 4482-7UPT/4492-7UPT) ZY-
 850P(830P/840P/860P/870P/880P/890P/420P/430P/440P/450P/460P/470P/480P/4421P/
 4431P/4441P/4451P/4461P/4471P/4422P/4432P/4442P/4452P/4462P/4472P))
 ZY-LSR-2150A/B (2130/2140/2160/2170)
 ZY-LSR-2150C1A/B (2130C1/2140C1/2160C1/2170C1)
 ZY-LSR-2150C3A/B (2130C3/2140C3/2160C3/2170C3)
 ZY-LSR-2150C5A/B (2130C5/2140C5/2160C5/2170C5)
 ZY-LSR-6050A/B(6010/6020/6030/6040/6060/6070)
 ZY-LSR-6320A/B(6320/6330/6340/6350/6360/6370)
 ZY-LSR-6950A/B(6900/6920/6930/6940/6950/6960/6970/6980)
 ZY-LSR-7050A/B(7020/7030/7040/7060/7070/7080)ZY(HD)-
 87(30/40/50/60/70/80/31/41/51/61/71/81/32/42/52/62/72/82/32A/42A/52A/62A/72A/82A/33/
 43/53/63/73/83)
 ZY(HD)-87-7(30-7/40-7/50-7/60-7/70-7/80-7/32-7/42-7/52-7/62-7/72-7/82-7/32A-7/42A-7/
 52A-7/62A-7/72A-7/82A-7)
 ZY-8750C1(8720C1/8730C1/8740C1/8760C1/8770C1/8780C1)
 HQ-8750 (8720/8730/8740/8750/8760/8770/8780/8790)
 HD-8752 (8732/8742/8752/8762/8772/8782/8792)
 HD-8750 (8730/8740/8750/8760/8770/8780/8790)
 ZY-LSR-5250A/B(5200/5210/5220/5230/5240/5250/5260/5270/5280)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

